TRESPA®

DECLARATION OF PERFORMANCE

No.: 001-3

METEON® FR

Unique identification code of the product-type		METEON® FR					
Intended use or uses of the construction product, in accordance with the		Compact laminate panels for external wall and ceiling					
applicable harmonized technical specification, as foreseen by the manufacturer Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5) System or systems of AVCP (=assessment and verification of constancy of		finishes					
		Type EDF according to EN438 part 6					
		TRESPA International B.V. Wetering 20 / NL – 6002 SM Weert System 1					
				performance)			
				Name and identification number of the notified body		NB 0958 / SGS INTRON Certificatie B.V.	
NB 1173 / WFRGENT N.V.							
Declared performance			1				
Essential characteristics	Performance		Harmonized technical specification				
Reaction to fire	≥6mm B-s2,d0	≥ 6 mm B-s2,d0					
	≥8 mm B-s1,d0	≥ 8 mm B-s1,d0					
Fire Resistance	NPD						
Water vapour permeability	NPD		4				
Resistance to fixings	6 mm ≥ 2.000 N 8 mm ≥ 3.000 N ≥ 10 mm ≥ 4.000 N		Q				
Direct airborne sound insulation	NPD		200				
Flexural strength	≥ 120 MPa		EN 438 – 7:2005				
Flexural modulus	≥ 9000 MPa	≥ 9000 MPa					
Thermal resistance / conductivity	NPD	NPD					
Resistance to climatic shock	Appearance ≥ 4	Appearance ≥ 4					
	Ds ≥ 0.95 / Dm ≥ 0.95	$Ds \ge 0.95 \ / \ Dm \ge 0.95$					
Durability: Resistance to wet conditions	Mass Increase ≤ 3 %						
		Appearance surface rating ≥ 4					
		Appearance edge rating ≥ 3					
Density	≥ 1.350 kg/m ³						

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

J.A.L. Horbach (CEO)

Weert, The Netherlands, October 2019

A fully signed copy of this document can be requested at: certification@trespa.com

CE